

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: PowderRange M300
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use Additive Manufacturing.
- Application of the substance / the mixture

Additive Manufacturing.

Metal Working.

- · Uses advised against Any Other Uses.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Carpenter Additive.

Dennis Road

Widnes

Cheshire, WA8 0GU

United Kingdom

- · Further information obtainable from: Health and Safety Department
- · 1.4 Emergency telephone number:

+(44)-870-8200418

For acute incidents contact the emergency services. For non-acute incidents please use the CHEMTREC number provided. CHEMTREC contact numbers are available 24 hours a day, 7 days a week. Language interpretation services are also available.

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

Repr. 1B H360F May damage fertility.

STOT RE 1 H372 Causes damage to the respiratory system through prolonged or repeated exposure.

Route of exposure: Inhalation.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

nickel

cobalt

· Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H360F May damage fertility.

H372 Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7 Reg.nr.: 01-2119462838-24	nickel	10-25%
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9 Reg.nr.: 01-2119517392-44	cobalt Resp. Sens. 1, H334; Muta. 2, H341; Repr. 1B, H360F; Skin Sens. 1, H317; Aquatic Chronic 4, H413	2.5-10%
CAS: 7440-32-6 EINECS: 231-142-3 Reg.nr.: 01-2119484878-14	titanium Pyr. Sol. 1, H250; Self-heat. 1, H251; Water-react. 1, H260	≤2.5%
	(Cont	td. on page 3)

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Special powder for metal fires. Do not use water.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product is not flammable. A high concentration of airborne dusts may form an explosive mixture with air.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid creating dust where possible. Ensure good dust ventilation during handling. If necessary, use local exhaust ventilation.

Wet mopping or HEPA vacuuming is recommended to clean up any dusts that may be generated during handling and processing.

(Contd. on page 4)

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

(Contd. of page 3)

- · Information about fire and explosion protection: Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Not determined.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7440-02-0 nickel

WEL Long-term value: 0.5 mg/m³

as Ni; Sk; Carc

7440-48-4 cobalt

WEL Long-term value: 0.1 mg/m³

as Co; Carc, Sen

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Filter P3

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

· Eye protection:

(Contd. of page 4)



Safety glasses

· Body protection: Protective work clothing

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid
Colour: Grey
Odour: Odourless
Odour threshold: Not determined.

pH-value: Not applicable.

· Change in condition

Melting point/freezing point: 1,535 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

· **Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Not determined.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not applicable.

Density at 20 °C:
 Relative density
 Vapour density
 Evaporation rate
 8.23258 g/cm³
 Not determined.
 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• 9.2 Other information No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No further relevant information available.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Metal oxide fumes

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity

Suspected of causing genetic defects.

· Carcinogenicity

Suspected of causing cancer. Route of exposure: Inhalation.

· Reproductive toxicity

May damage fertility.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

(Contd. of page 6)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H251 Self-heating: may catch fire.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.
- · Department issuing SDS: Environment protection department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.07.2022 Version number 1 Revision: 18.07.2022

Trade name: PowderRange M300

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Sol. 1: Pyrophoric solids – Category 1

Self-heat. 1: Self-heating substances and mixtures - Category 1

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.

GB